Serial No.: 09/698,118 Docket No.: KCC-14,607

In the Claims:

1-21 (Canceled)

22. (Currently Amended) A biaxial elastic stretch, breathable laminate, comprising consisting essentially of:

a water vapor-permeable elastic film comprising a polymer selected from a group consisting of polyurethanes, polyether amides, polyester elastomers and combinations thereof; and

a spunbond nonwoven web, having machine direction stretch and cross direction stretch, bonded to the film, wherein the spunbond nonwoven web is creped to achieve the machine direction stretch.

23-25 (Canceled)

- 26. (original) The laminate of Claim 22, wherein the film and web are thermally bonded together.
- 27. (original) The laminate of Claim 22, wherein the film and web are adhesively bonded together.
- 28. (original) The laminate of Claim 22, wherein the film and web are bonded together via an extrusion coating process.
- 29. (original) The laminate of Claim 22, wherein stretchability of the laminate in a machine direction is at least 50%.
 - 30. (original) The laminate of Claim 22, wherein stretchability of the

Serial No.: 09/698,118 Docket No.: KCC-14,607

laminate in a machine direction is in a range of 70% to 200%.

- 31. (original) The laminate of Claim 22, wherein stretchability of the laminate in a machine direction is in a range of 100% to 150%.
- 32. (original) The laminate of Claim 22, wherein stretchability of the laminate in a cross direction is at least 50%.
- 33. (original) The laminate of Claim 22, wherein stretchability of the laminate in a cross direction is in a range of 70% to 200%.
- 34. (original) The laminate of Claim 22, wherein stretchability of the laminate in a cross direction is in a range of 100% to 150%.
- 35. (original) The laminate of Claim 22, wherein stretchability of the laminate in a machine direction is roughly equal to stretchability of the laminate in a cross direction.
- 36. (original) An absorbent article outer cover comprising the laminate of Claim 22.

Serial No.: 09/698,118 Docket No.: KCC-14,607

37. (Currently Amended) A biaxial elastic stretch, breathable laminate fluid barrier, comprising consisting essentially of:

a breathable elastic film; and

a necked nonwoven facing material that is creped in the machine direction to allow for machine direction stretch and subsequently bonded to the film.

38. (Canceled)

39. (Currently Amended) The A biaxial elastic stretch, breathable laminate fluid barrier, of Claim 37 comprising:

a breathable elastic film; and

a necked nonwoven facing material that is creped in the machine direction to allow for machine direction stretch and subsequently bonded to the film; and

wherein the film is pre-stretched when bonded to the facing material.